What is claimed is:

An optical glass having;

a refractive index (n_d) and an Abbe number (v_d) which are within an area surrounded by straight lines that are drawn by connecting point A $(n_d=1.835,\ v_d=46.5)$, point B $(n_d=1.90,\ v_d=40.0)$, point C, $(n_d=1.90,\ v_d=35.0)$ and point D $(n_d=1.835,\ v_d=38.0)$ in a sequence of A, B, C, D and A as border lines in x-y orthogonal coordinates shown in FIG. 1, in which X-axis is the Abbe number (v_d) and Y-axis is the refractive index (n_d) , the area including the border lines: and the optical glass comprising:

- 0.1 to 8 mass% of SiO_2 ;
- 5 to less than 20 mass% of B_2O_3 ;
- 15 to 50 mass% of La_2O_3 ;
- 0.1 to 30 mass% Gd_2O_3 ,
- 0 to 10 mass% of GeO2 and
- 0 to 8 mass% of Nb_2O_5 ,

where a total content of Gd_2O_3 , GeO_2 and Nb_2O_5 is more than 10 mass% to 30 mass%;

- 0 to 5 mass% of Yb₂O₃;
- 0 to 1 mass% of TiO2;
- 0 to 8 mass% of ZrO2;

more than 10 to 25 mass% of Ta₂O₅;

- 0 to 10 mass% of WO3;
- 0 to 15 mass% of ZnO;
- 0 to 5 mass% of RO,

where RO is one or more kinds of oxides selected from CaO, SrO and BaO;

more than 0.5 to less than 3 mass% of Li_2O ; 0 to 1 mass% of Sb_2O_3 ; and

0.1 to 6 mass% in a the total content of fluorides of above-described metal elements as F element with which a part or all of one or more kinds of oxides of above-described metal elements are substituted;

wherein the optical glass is free from cadmium, thorium, Y_2O_3 , P_2O_5 , and TeO_2 , and

the optical glass has a transition temperature (Tg) of 550 to 650° C.

- 2. The optical glass as claimed in claim 1, comprising 0.1 to less than 5.5 mass% of SiO_2 .
- 3. The optical glass as claimed in claim 1, comprising more than 1 to less than 3 mass% of Li_2O .
- 4. The optical glass as claimed in claim 1, having the refractive index (n_d) of less than 1.875.
- 5. The optical glass as claimed in claim 1, having the refractive index (n_d) of 1.875 or more.
 - 6. The optical glass as claimed in claim 1,

having the refractive index (n_d) of more than 1.85.

- 7. The optical glass as claimed in claim 1, having the Abbe number (ν_d) of less than 39.5.
- 8. The optical glass as claimed in claim 1, having the Abbe number $(\nu_{\rm d})$ of 39.5 or more.
- 9. The optical glass as claimed in claim 1, having the transition temperature (Tg) of 640° C or less.
- 10. The optical glass as claimed in claim 1, having the transition temperature (Tg) of 630° C or less.
- 11. The optical glass as claimed in claim 2, comprising more than 1 to less than 3 mass% of Li_2O .
- 12. The optical glass as claimed in claim 4, having the Abbe number (ν_d) of 39.5 or more.
- 13. The optical glass as claimed in claim 12, having the refractive index (n_d) of more than 1.85.
- 14. The optical glass as claimed in claim 5, having the Abbe number (ν_d) of less than 39.5.

15. An optical glass having;

a refractive index (n_d) and an Abbe number (v_d) which are within an area surrounded by straight lines that are drawn by connecting point A $(n_d=1.835,\ v_d=46.5)$, point B $(n_d=1.90,\ v_d=40.0)$, point C, $(n_d=1.90,\ v_d=35.0)$ and point D $(n_d=1.835,\ v_d=38.0)$ in a sequence of A, B, C, D and A as border lines in x-y orthogonal coordinates shown in FIG. 1, in which X-axis is the Abbe number (v_d) and Y-axis is the refractive index (n_d) , the area including the border lines: and the optical glass comprising:

- 0.1 to 8 mass% of SiO_2 ;
- 5 to less than 20 mass% of B_2O_3 ;
- 15 to 50 mass% of La_2O_3 ;
- 0.1 to 30 mass% Gd_2O_3 ,

more than 10 to 25 mass% of Ta_2O_5 ; and

more than 0.5 to less than 3 mass% of Li₂O;

and

- 0 to 10 mass% of GeO2 and/or
- 0 to 8 mass% of Nb_2O_5 ,

where a total content of Gd_2O_3 , GeO_2 and Nb_2O_5 is more than 10 mass% to 30 mass%;

and/or

- 0 to 5 mass% of Yb₂O₃; and/or
- 0 to 1 mass% of TiO2; and/or
- 0 to 8 mass% of ZrO2; and/or
- 0 to 10 mass% of WO_3 ; and/or

- 0 to 15 mass% of ZnO; and/or
- 0 to 5 mass% of RO,

where RO is one or more kinds of oxides selected from CaO, SrO and BaO;

- 0 to 1 mass% of Sb₂O₃; and/or
- 0 to less than 0.5 mass% of Lu_2O_3 ; and
- 0.1 to 6 mass% in the total content of fluorides of above-described metal elements as F element with which a part or all of one or more kinds of oxides of above-described metal elements are substituted;

wherein the optical glass is free from cadmium, thorium, Y_2O_3 , P_2O_5 and TeO_2 , and

the optical glass has a transition temperature (Tg) of 550 to 650°C .

- 16. The optical glass as claimed in claim 15, comprising 0.1 to less than 5.5 mass% of SiO_2 .
- 17. The optical glass as claimed in claim 15, comprising more than 1 to less than 3 mass% of Li_2O .
- 18. The optical glass as claimed in claim 15, having the refractive index (n_d) of less than 1.875.
- 19. The optical glass as claimed in claim 15, having the refractive index (n_d) of 1.875 or more.

- 20. The optical glass as claimed in claim 15, having the refractive index (n_d) of more than 1.85.
- 21. The optical glass as claimed in claim 15, having the Abbe number $(\nu_{\rm d})$ of less than 39.5.
- 22. The optical glass as claimed in claim 15, having the Abbe number $(\nu_{\rm d})$ of 39.5 or more.
- 23. The optical glass as claimed in claim 15, having the transition temperature (Tg) of 640° C or less.
- 24. The optical glass as claimed in claim 15, having the transition temperature (Tg) of 630° C or less.
- 25. The optical glass as claimed in claim 16, comprising more than 1 to less than 3 mass% of Li_2O .
- 26. The optical glass as claimed in claim 18, having the Abbe number $(\nu_{\rm d})$ of 39.5 or more.
- 27. The optical glass as claimed in claim 26, having the refractive index (n_d) of more than 1.85.
 - 28. The optical glass as claimed in claim 19,

having the Abbe number (ν_{d}) of less than 39.5.